



## PHQ-9 Depression

Over the last 2 weeks, how often have you been bothered by any of the following problems?

(Use "✓" to indicate your answer"

	Not all	at Several days	More than half the days	Nearly every day
1. Little interest or pleasure in doing things.....	0	1	2	3
2. Feeling down, depressed, or hopeless.....	0	1	2	3
3. Trouble falling or staying asleep, or sleeping too much.....	0	1	2	3
4. Feeling tired or having little energy.....	0	1	2	3
5. Poor appetite or overeating.....	0	1	2	3
6. Feeling bad about yourself — or that you are a failure or have let yourself or your family down.....	0	1	2	3
7. Trouble concentrating on things, such as reading the newspaper or watching television.....	0	1	2	3
8. Moving or speaking so slowly that other people could have noticed? Or the opposite — being so fidgety or restless that you have been moving around a lot more than usual.....	0	1	2	3
9. Thoughts that you would be better off dead or of hurting yourself in some way.....	0	1	2	3

**Column totals**    \_\_\_ + \_\_\_ + \_\_\_ + \_\_\_

**= Total Score** \_\_\_\_\_

From the Primary Care Evaluation of Mental Disorders Patient Health Questionnaire (PRIME-MD PHQ). The PHQ was developed by Drs. Robert L. Spitzer, Janet B.W. Williams, Kurt Kroenke and colleagues. For research information, contact Dr. Spitzer at rls8@columbia.edu. PRIME-MD® is a trademark of Pfizer Inc. Copyright© 1999 Pfizer Inc. All rights reserved. Reproduced with permission

## Scoring notes.

- **PHQ-9 Depression Severity**

Scores represent: **0-5 = mild**   **6-10 = moderate**   **11-15 = moderately severe**  
**16-20 = severe depression**

- **GAD-7 Anxiety Severity.**

This is calculated by assigning scores of 0, 1, 2, and 3, to the response categories of “not at all,” “several days,” “more than half the days,” and “nearly every day,” respectively. GAD-7 total score for the seven items ranges from 0 to 21.

Scores represent: **0-5 mild**   **6-10 moderate**   **11-15 moderately severe anxiety**  
**15-21 severe anxiety.**

## PCL-5

**Instructions:** Below is a list of problems that people sometimes have in response to a very stressful experience. Please read each problem carefully and then circle one of the numbers to the right to indicate how much you have been bothered by that problem in the past month.

In the past month, how much were you bothered by:	Not at all	A little bit	Moderately	Quite a bit	Extremely
1. Repeated, disturbing, and unwanted memories of the stressful experience?	0	1	2	3	4
2. Repeated, disturbing dreams of the stressful experience?	0	1	2	3	4
3. Suddenly feeling or acting as if the stressful experience were actually happening again (as if you were actually back there reliving it)?	0	1	2	3	4
4. Feeling very upset when something reminded you of the stressful experience?	0	1	2	3	4
5. Having strong physical reactions when something reminded you of the stressful experience (for example, heart pounding, trouble breathing, sweating)?	0	1	2	3	4
6. Avoiding memories, thoughts, or feelings related to the stressful experience?	0	1	2	3	4
7. Avoiding external reminders of the stressful experience (for example, people, places, conversations, activities, objects, or situations)?	0	1	2	3	4
8. Trouble remembering important parts of the stressful experience?	0	1	2	3	4
9. Having strong negative beliefs about yourself, other people, or the world (for example, having thoughts such as: I am bad, there is something seriously wrong with me, no one can be trusted, the world is completely dangerous)?	0	1	2	3	4
10. Blaming yourself or someone else for the stressful experience or what happened after it?	0	1	2	3	4
11. Having strong negative feelings such as fear, horror, anger, guilt, or shame?	0	1	2	3	4
12. Loss of interest in activities that you used to enjoy?	0	1	2	3	4
13. Feeling distant or cut off from other people?	0	1	2	3	4
14. Trouble experiencing positive feelings (for example, being unable to feel happiness or have loving feelings for people close to you)?	0	1	2	3	4
15. Irritable behavior, angry outbursts, or acting aggressively?	0	1	2	3	4
16. Taking too many risks or doing things that could cause you harm?	0	1	2	3	4
17. Being "superalert" or watchful or on guard?	0	1	2	3	4
18. Feeling jumpy or easily startled?	0	1	2	3	4
19. Having difficulty concentrating?	0	1	2	3	4
20. Trouble falling or staying asleep?	0	1	2	3	4

# Adverse Childhood Experience Questionnaire for Adults

California Surgeon General's Clinical Advisory Committee



Our relationships and experiences—even those in childhood—can affect our health and well-being. Difficult childhood experiences are very common. Please tell us whether you have had any of the experiences listed below, as they may be affecting your health today or may affect your health in the future. This information will help you and your provider better understand how to work together to support your health and well-being.

<p><b>Instructions:</b> Below is a list of 10 categories of Adverse Childhood Experiences (ACEs). From the list below, please place a checkmark next to each ACE category that you experienced prior to your 18<sup>th</sup> birthday. Then, please add up the number of categories of ACEs you experienced and put the <i>total number</i> at the bottom.</p>	
Did you feel that you didn't have enough to eat, had to wear dirty clothes, or had no one to protect or take care of you?	
Did you lose a parent through divorce, abandonment, death, or other reason?	
Did you live with anyone who was depressed, mentally ill, or attempted suicide?	
Did you live with anyone who had a problem with drinking or using drugs, including prescription drugs?	
Did your parents or adults in your home ever hit, punch, beat, or threaten to harm each other?	
Did you live with anyone who went to jail or prison?	
Did a parent or adult in your home ever swear at you, insult you, or put you down?	
Did a parent or adult in your home ever hit, beat, kick, or physically hurt you in any way?	
Did you feel that no one in your family loved you or thought you were special?	
Did you experience unwanted sexual contact (such as fondling or oral/anal/vaginal intercourse/penetration)?	
<b>Your ACE score is the total number of checked responses</b>	

Do you believe that these experiences have affected your health? Not Much      Some      A Lot

Experiences in childhood are just one part of a person's life story.  
There are many ways to heal throughout one's life.

Please let us know if you have questions about privacy or confidentiality.